

ORDINANCE NO. A- 571

AN ORDINANCE TO AMEND ARTICLE VI, SECTION 4, OF  
ORDINANCE NO. A-566 OF THE CITY OF CONWAY, ARKANSAS;  
DECLARING AN EMERGENCY; AND FOR OTHER PURPOSES:

BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF CONWAY, ARKANSAS:

SECTION 1. That Article VI, Section 4, of Ordinance No. A-566,  
adopted by the City Council of the City of Conway, Arkansas, on  
March 27 —, 1973, is hereby amended to read as follows:

SECTION 4. No person shall discharge or cause to be dis-  
charged the following described substances, materials, waters,  
or wastes, if it appears likely in the opinion of the Superintend-  
ent that such wastes can harm either the sewers, sewage treat-  
ment process, or equipment, have an adverse effect on the receiv-  
ing stream, or can otherwise endanger life, limb, public property,  
or constitute a nuisance. In forming his opinion as to the  
acceptability of these wastes, the Superintendent will give con-  
sideration to materials of construction of the sewers, nature  
of the sewage treatment process, capacity of the sewage treat-  
ment plant, degree of treatability of wastes in the sewage treat-  
ment plant, and other pertinent factors. The substances, mater-  
ials, waters and wastes which may be prohibited hereunder shall  
include, but not be limited to, the following:

- (a) Any liquid or vapor having a temperature  
higher than one hundred and fifty degrees (150°)  
Fahrenheit (Sixty-five [65] degrees Centigrade).
- (b) Any water or wastes containing fats, wax, grease,  
or oils, whether emulsified or not, in excess of  
one hundred (100) mg/l or containing substances  
which may solidify or become viscous at tempera-  
tures between thirty-two (32) and one hundred  
fifty degrees (150°) Fahrenheit (Zero [0] and  
Sixty-five (65) degrees Centigrade).
- (c) Any garbage that has not been properly shredded.  
The installation and operation of any garbage  
grinder equipped with a motor of one (1) horse-

power (1 hp metric) or greater shall be subject to the review and approval of the Superintendent.

(d) Any waters or wastes having a pH in excess of 10.0.

(e) Materials which exert or cause:

(1) Unusual concentrations of inert suspended solids (such as, but not limited to, Fullers earth, lime slurries, and lime residues) or of dissolved solids (such as, but not limited to, sodium chloride and sodium sulfate).

(2) Excessive discoloration (such as, but not limited to, dye wastes and vegetable tanning solutions).

(3) Unusual BOD, chemical oxygen demand, or chlorine requirements in such quantities as to constitute a significant load on the sewage treatment works.

(4) Unusual volume of flow or concentration of wastes constituting "slugs" as defined herein.

(f) Waters or wastes containing substances which are not amenable to treatment or reduction by the sewage treatment processes employed, or are amenable to treatment only to such degree that the sewage treatment plant effluent cannot meet the requirements of other agencies having jurisdiction over discharge to the receiving waters.

SECTION 2. This ordinance being necessary for the protection of the public health and welfare, shall be in full force and effect from and after its passage, approval, recording, and publication as provided by law.

SECTION 3. Passed and adopted by the Council of the City of Conway, Arkansas, on the 14 day of August, 1973.

APPROVED:

Walter Danaway  
Mayor

ATTEST:

Loris Dunn  
Clerk-Treasurer